

Published literature specific to Technegas, in chronological order.
See bibliography at - <http://jcsmr.anu.edu.au/technegas>.

* represent papers published as abstracts from international conferences.

1. Burch WM, Sullivan PJ, McLaren CJ: Technegas - a new ventilation agent for lung scanning. *Nucl Med Commun* 7:865, 1986.
2. Sullivan PJ, Burch WM: A clinical appraisal of TECHNEGAS(r) for lung ventilation imaging. *Nucl Med* 25:A22, 1986.
3. Sullivan PJ, Burke WM, Burch WM, et al: A clinical comparison of Technegas and Xenon- 133 in 50 patients with suspected pulmonary embolus. *Chest* 94:300-304, Aug 1988.
4. Fawdry RM, Gruenewald SM: Initial experience with Technegas - a new ventilation agent. *Australas Radiol* 32: 232, 1988.
5. DeGeeter F, Bossuyt A, Jonckheer M: Comparison of Technegas to 81mKr as ventilation agent. *Eur J Nucl Med* 5:442, 1989.
6. Hilson AJW, Paiva D, Diamond PD et al: An ultra-fine 99mTc-aerosol (Technegas) for lung ventilation scintigraphy - a comparison with 81mKr. *J Nucl Med* 30: 744, 1989.*
7. Kropp J, Buhr W, Biersack HJ: Lung Inhalation - scintigraphy in newborns: a study with the new tracer Technegas. *J Nucl Med* 30: 744, 1989.*
8. Kropp J, Buhr W, Bockisch F, et al: inhalationsszintigraphie der lunge mit dem neuen ultra feinen aerosol "Technegas". *Nucl Med* 28: 61-68, 1989.
9. Lemb M, Oei TH, Sander U: Ventilation-perfusion lung SPECT in the diagnosis of pulmonary thromboembolism (PTE) using Technegas. *Eur J Nucl Med* 15:442, 1989.*
10. McAfee JG: update on radiopharmaceuticals for medical imaging. State of the Art. *Radiology* 171:593-601, 1989.
11. McAfee JG: What's new in radiopharmaceuticals for imaging? Syllabus on the categorical course on Nuclear Radiology in clinical decision making Sept 9-10, 1989. *Publ American College of Radiology, Veston, VA USA*, pp5-10, 1989.
12. Peltier P, Zair Y, Chetanneau A, et al: "Technegas" ventilation study. *Eur J Nucl Med* 15:442,1989.*
13. Amis TC, Crawford ABH, Davison A, Engel LA: Distribution of inhaled 99m Technetium labelled ultrafine carbon particle aerosol (Technegas) in human lungs. *Eur Respir J* 3: 679-685 1990.
14. Bomanji J, Solanki KK, Sobnack R, et al: Technegas (TcG) ventilation-perfusion (V/Q) studies; experience in 89 patients. *Eur J Nucl Med* 16:440, 1990.*
15. Crawford ABH, Davison A, Amis TC, Engel LA: Intrapulmonary distribution of 99mTechnetium labelled ultrafine carbon aerosol (Technegas) in severe airflow obstruction. *Eur Respir J* 3:686-692 1990.
16. Mannting F, Morgan MG, Hedenstrom-H, et al: A comparative study of Xe-133 and Tc-99m-gas for assessment of regional ventilation. *Eur J Nucl Med* 16:429, 1990.*
17. Rimkus DS, Ashburn WL: Lung ventilation scanning with a new carbon particle radioaerosol (Technegas). *Clin Nucl Med* 15: 222-226, 1990.
18. Isawa T, Teshima T, Anazawa M, et al: Technegas for inhalation lung imaging. *Nucl Med Commun* 12: 47-55, 1991.
19. Schuemichen C, Gehring T, Krause TH, Strauss E: Change of particle flow through stenoses by the physio-characteristics of radioaerosol. *Eur J Nucl Med* 16:428, 1990.*
20. Zwijnenburg A, Royed E, Donagen A, Zanin D: Experience with 99mTc - Technegas as a ventilation tracer; comparison with 81mKr-gas. *Eur J Nucl Med* 16:441, 1990.

21. Shields RA, Testa HJ, Herman KJ, Stretton TB: ⁹⁹Tc- Technegas for lung ventilation imaging: initial experience and comparison with Krypton-81m. *Nucl Med Commun* 10, (4) 1989.
22. Kawakami K, Iwamura A, Goto E, et al: Kinetics clinical application of ^{99m}Tc Technegas. *Jap J Nucl Med* 27: 725-733,1990.
23. Sasaki Y, Imai T, Kasuga H, et al: Clinical evaluation of ^{99m}Tc-Pseudogas (Technegas). *Jap J Respir* 10: 821-829, 1991.
24. Bunko H, Seto M, Kuji I, et al: Lung ventilation with Technegas: clinical study of lung deposition and ventilation/perfusion. *Jap J Nucl Med* 28: 229- 239, 1991.
25. Inoue T, Watanabe N, Tateno H, et al: Clinical evaluation of lung scintigraphy with ^{99m}Tc-Technegas. *Nippon Acta Radiol* 50:1590-1600, 1990.
26. Kawakami K, Shimada T, Tominaga S, et al: Pulmonary distribution of ^{99m}Tc-Technegas in the lung - a comparative study with radioactive inert gases. *Jap J Lung Dis* 30: (10) 1781-1787, 1992.
27. Van der Wall H, Murray IPC, Moase A: A ventilatory assistance device for use with Technegas. *Nucl Med Commun* 13: 82-87, 1992. (see also Hoffer PB, Year Book of Nucl Med. ch4 132, 1993).
28. Murray IPC: Commentary - Clinical Experience with Technegas. *Clin Nucl Med* 16:247, 1991.
29. Isawa T, Teshima T, Anazawa Y, et al: Radioaerosol inhalation lung imaging using Technegas. *Jap J Nucl Med* 11:1273-1280, 1990.
30. James JM, Prescott MC, Leahy BC, et al: Hypoxia during Technegas inhalation. *Nucl Med Commun* 12: 287, 1991.*
31. James JM, Lloyd JJ, Leahy BC, et al: A comparison of ⁹⁹Tc-Technegas and ⁸¹Kr ventilation scintigraphy in known respiratory disease. *Nucl Med Commun* 12:287, 1991.*
32. James JM, Herman KJ, Lloyd JJ, et al: Evaluation of ⁹⁹Tc Technegas ventilation scintigraphy in the diagnosis of pulmonary embolism. *Br J Radiol* 64:711-719, 1991. (see also Hoffer PB, Year Book of Nucl Med. ch4 131, 1993).
33. James JM, Lloyd JJ, Leahy BC, et al: The incidence and severity of hypoxia associated with ^{99m}Tc Technegas ventilation scintigraphy and ^{99m}Tc MAA perfusion scintigraphy. *Brit J Radiol*. 65: 403-408, 1992. (see also Hoffer PB, Year Book of Nucl Med ch3 106-107, 1994).
34. Rojas-Burke J: High hopes for Technegas, *J Nucl Med* 32: 24N-30N (Newsline) November 1991.
35. Gottschalk A: review of reference #18. *Year Book of Nucl Med* ch4 148-150, 1991.
36. Delcourt E, Binon, J-P, Amir R: Lung Ventilation studies obtained with Kr-81m or Tc-99m Technegas in a geriatric population. *Eur J Nucl Med* 19:712, 1992.
37. James JM, Lloyd JJ, Leahy BC, et al: ^{99m}Tc-Technegas and Krypton-81m ventilation scintigraphy: A comparison in known respiratory disease. *Br J Radiol* 65:(780), 1075-82, 1992.
38. Al-Janabi MA, Maltby P, Critchley M; A comparative study of Technegas and ⁸¹Kr ventilation in the scintigraphic diagnosis of pulmonary embolism (PE). *Eur J Nucl Med* 19: 712, 1992.*
39. Bomanji J, Alawadhi H, Beale A et al: Clinical outcomes of patients with suspected pulmonary embolism using ⁹⁹Tc Technegas as a ventilatory agent for lung scanning. *Eur J Nucl Med* 19: 713, 1992.*
40. Lemb M, Oei TH, Wenz B et al: Structure of ventilation SPECT - images in normal adults using Technegas. *Eur J Nucl Med* 19:713, 1992.*
41. Lemb M, Oei TH, Eifert H, Gunther B: Technegas; Particle structure and size distribution. *Eur J Nucl Med* 19: 715, 1992.*
42. Cook G, Clarke SEM: An evaluation of Technegas as a ventilation agent compared with Krypton-81m in the scintigraphic diagnosis of pulmonary embolism. *Eur J Nucl Med* 19: 770-774, 1992. (See also Year Book of Nucl Med ch3 108,1994).

43. Coates G: Isotope Lung Imaging: Current Opinion in Radiology 4:79-86,1992.
44. Peltier P, Bardies M, Chetanneau A, et al: Comparison of Technetium-99m and phytate aerosol in ventilation studies. *Eur J Nucl Med* 19: 349-354, 1992.
45. Burch WM: Technegas wash-in to confirm lung pathology? (Letter to editor) *Eur J Nucl Med* 20:359 1993.
46. Burch WM, Evidence for the long term biological distribution of Technegas particles. *Nucl Med Commun* 14: 559-561, 1993.
47. Isawa T et al: Technegas versus Krypton gas: the difference in the lungs in distribution pattern following inhalation. *Jap J Clin Radiol* 38: 139-148, 1993 (Jpn).
48. Lemb M, Oei TH, Eifert H, GYnther B: Technegas: a study of particle structure, size and distribution. *Eur J Nucl Med* 20: (7) 576-579, 1993. (see ref # 44).
49. Strong JC, Agnew JE: The particle size distribution of Technegas and its influence on regional lung deposition. *Nucl Med Commun* 10: (6) 425-430, 1989.
50. Burch WM, Boyd MM, Crellin DE, Technegas: particle size and distribution. *Eur J Nucl Med* 21:365-367, 1994. (Response to ref # 48).
51. Kropp J, Overbeck B, Klumpp J, Inhalation scintigraphy with an ultra fine aerosol (Technegas) in infants with functional bronchial stenoses. *Clin Nucl Med* 18: 223-226, 1993.
52. Goransson M, Five years experience of pulmonary ventilation with Tc-99m Technegas. *Eur J Nucl Med* 20, 1013. 1993*.
53. Longostrevi GP, Migliara G, Allegra L, Pneumoscintigrafia ventilatoria con tracciante pseudogassoso aspetti metodologici ed applicazioni cliniche. *Ital J Chest Dis* 42:117-124, 1988.
54. Mackey DWJ, Burch WM, Dance IG et al. The observation of Fullerenes in a Technegas lung ventilation unit. *Nucl Med Commun* 15: 430-434, 1994.
55. Kransnow AZ, Isitman AT, Collier BD et al. Diagnostic applications of radioaerosols. *Nuclear Medicine Annual*, 1993. Ed. Freeman LM, Publ. Raven, New York USA. pp 134-137, 1993.
56. Lloyd JJ, Taylor CJ, James JM, Lawson RS, Shields RA, Testa HJ. Texture analysis of Technegas lung ventilation images. *Med Biol Eng & Comp.* 33:52-57, 1995.
57. Lloyd JJ, Anderson P, James JM, Shields RA, Prescott MC. Contamination levels and doses to staff arising from the use of Technegas. *Nucl Med Commun* 15:435-440, 1994.
58. James JM, Lloyd JJ, Shields RA, Testa HJ. Inhalation technique and Technegas deposition in normal volunteers. *Nucl Med Commun* 14:284, 1993.*
59. Peters AM. Recent advances and future projections in clinical radionuclide imaging. *Br J Radiol* 63:411-429, 1990.
60. Isawa T, Teshima T, Anazawa Y, Miki M, Motomiya M. Radioaerosol Inhalation Lung Imaging Using Technegas. *Jpn J Clin Radiol*, pp 64-65, 1992.
61. Messian O, Sleiman C, Mal H, Andreassian B and Bok B. Quantitative Lung Scintigraphy in the follow-up of single lung transplantation. *J Nucl Med* 33: (5), 835, 1992.*
62. King G, Salome C, Mickle S, Woolcock A, Pilot study of single photon emission computerised tomographic imaging (SPECT) of ventilation at residual volume in asthmatics suggests large airway closure. *Aust NZ J Med* 24: (4), 437, 1994*.
63. Mackie A, Hart GC, Ibbett DA, Whitehead RJS. Airborne radioactive contamination following aerosol ventilation studies. *Nucl Med Commun* 15:161-167, 1994.
64. Bellomo R, Low R, Pianko S, et al. The 1 month outcome of patients with a low probability Technegas ventilation/perfusion lung scan. *Nucl Med Commun* 15:505-510, 1994.

65. Lloyd JJ, James JM, Shields RA, Testa HJ. The influence of inhalation technique on Technegas particle deposition and image appearance in normal volunteers. *Eur J Nucl Med* 21:394-398, 1994.
66. Cormick W, Farlow D, Gruenewald S, Antico V. Ventilation perfusion (V/Q) scan and its impact on patient management. *ANZ J Med* 22:722, 1992.*
67. Kumar V. Interference by 99m - Tc (Technegas) on Co-57 dependant schillings test and vitamin-B12 assays during ventilation lung scan procedure. *ANZ J Med* 22:724, 1992.*
68. Goransson M. Pulmonary Ventilation with Tc-99m Technegas Compared with Tc-99m DTPA Aerosol. *Eur J. Nucl Med* 21:(10) - suppl;S29, 1994.*
69. Gruenewald SM, Farlow D. Radioactive Contamination to Staff and Equipment from Technegas Lung Ventilation Studies. *Eur J. Nucl Med* 21:(10) - suppl;S66, 1994.*
70. Giga A, Benie DN, Collins L, Gruenewald SM, & Farlow D, Radioactive contamination to staff and equipment from Technegas lung ventilation studies. *Eur J Nucl Med*, 21(10), S66, 1994.
71. King GG, Salome CM, Meikle SM, Woolcock AJ. Studies of Lung Ventilation in Normals and Asthmatics Using SPECT and Technegas. *Eur J Nucl Med* 21:(10) - suppl;S87, 1994.*
72. Miki M, Isawa T, Teshima T, et al. Comparison of Intrapulmonary Distribution of three different-sized aerosols, Technegas and Krypton Gas Following Inhalation. *Eur J Nucl Med* 21:(10) - suppl;S87, 1994.*
73. Zanco P, Bortolotti L, Borsato N, et al. Technegas Scan in Preoperative Evaluation of Lung Neoplasm. *Eur J Nucl Med* 21:(10) - suppl;S241, 1994.*
74. Kotzerke J, Strumpf A, Schafers HJ, Hundeshagen H. Technegas Investigation of Alveolar Permeability after single and double lung transplantation. *Eur J Nucl Med* 21:(10) - suppl; S241, 1994.*
75. Sasaki Y, Imai T, Ohishi H, et al. Use of Tc-99m Technegas SPECT in evaluating of regional pulmonary function in patients with interstitial lung disease. *Eur J Nucl Med* 21:(10) - suppl;S241, 1994.*
76. Isawa T, Teshima T, Anazawa Y, Technegas Versus Krypton-81m Gas as an Inhalation Agent. Comparison of Pulmonary Distribution at Total Lung Capacity. *Clin Nucl Med* 19:1085-1090, 1994.
77. Bernard EJ, Nour R, Butler SP, Quinn RJ. Incidence of pulmonary embolism in single segmental mismatch on lung scanning. *J Nucl Med* 35:1928-1931, 1994.
78. Watanabe N, Inoue T, Tomioka S et al. Discordant findings between Krypton-81m gas and Tc-99m labeled ultrafine aerosol lung ventilation SPECT in two patients with Idiopathic Pulmonary Fibrosis. *Clin Nucl Med* 20:315-317, 1995.
79. Uchiyama M, Mori Y, Shimada T, Kawakami K. Physiological characteristics of Tc-99m gas in non-embolic lung diseases. In comparison with Kr-81m, Xe-133 and Tc-99m aerosol. *J Nucl Med* 36:35P, 1995.
80. Martel AL, Tindale WB. A Comparative study of the effect of Tc-99m Technegas and Tc-99m DTPA aerosol on image appearance and lung scan reporting. *Eur J. Nucl Med* 21 (8) 731, 1994.*
81. Lepailleur A, PŽrault C, Loboguerrero A, et al. Interest of Parametric subtraction images in lung scan for pulmonary embolism diagnosis. *Eur J. Nucl Med* 21 (8) 835, 1994.*
82. Fanti S, Compagnona G, Marengo M, et al. Comparison of quantitative perfusion and Technegas ventilation scans in patients with pulmonary carcinoma. *Eur J. Nucl Med* 21 (8) 837, 1994.*
83. Richter K, PŸchner K, Tatsch K, Hahn K. Consecutive Ventilation and Perfusion Scintigraphy of the lung with a triple head camera. *Eur J Nucl Med* 22:942, 1995*.
84. Lowe VJ, Sostman HD. "Nuclear Medicine" (ed. Murray IPC & Ell PJ. Publ. Churchill Livingstone). Chapter 4 p.33, 1995.
85. Satoh K, Tanabe M, Nakano S, et al. Comparison of 99m Tc-Technegas Scintigraphy and High Resolution CT in Pulmonary Emphysema. *Jap J Nucl Med* 32:(5), 487-494, 1995 (Jpn).

86. James J.M., Testa H.J., The use of ^{99m}Tc - Technegas in the investigation of patients with pulmonary thromboembolism. Nucl Med Commun 16, 802-810, 1995.
87. Nozaki T, Muraoka H, Hara T, Suzuki T, Production of fine aerosols labelled with various radionuclides by sublimation from a graphite boat, and their properties and tracer use. Appl Radiat and Isot 46:3, 157-165, 1995.
88. Isawa, T, Pulmonary Nuclear Medicine (in Japanese) ISBN 4-87398-056-9 pp 71-84, 1995.
89. Scalzetti EM, Gagne GM. The Transition from Technegas to Pertechnegas. J Nucl Med 36:268--269, 1995.
90. Lloyd JJ, Shields RA, Taylor CJ, et al. Technegas & Pertechnegas particle size distribution. Eur J Nucl Med 22:(5):473-476, 1995.
91. Jackson P, Baker RJ, McCullough DG et al. A study of Technegas employing x-ray photoelectron spectroscopy, scanning transmission electron microscopy and wet chemical methods. Nucl Med Commun 17: 504-513; 1996.
92. Nakano S, Satoh K, Talcohashi K, et al. Comparison between High-Resolution Computed Tomography and ^{99m}Tc -Technegas SPECT Pulmonary Emphysema. Jp J. Chest Dis 34:5 511-519, 1996.
93. Burch WM, Browitt RJ. The Transition from Technegas to Pertechnegas (letter in response to ref. # 89)J Nucl Med 37 (11), 1917-1918, 1996.
94. Tabuchi K, Narabayashi R, Matsui R, et al. Quantitative Study of ^{99m}Tc Technegas ventilation scintigraphy in comparison with Krypton-81m gas. Ann Nucl Med 10 : (suppl), S130, 1996*.
95. Sasaki Y, Imai T, Ohishi H, et al: Estimation of regional pulmonary function in patients with interstitial lung disease using ^{99m}Tc Technegas SPECT. Ann Nucl Med 10 : (suppl), S130, 1996*.
96. Ooshita T, Ookouchi A, Hirase K, et al. Development of an assist unit for Technegas inhalation. Ann Nucl Med 10 : (suppl), S129, 1996*.
97. Satoh, K, Takahashi K, Nishiyama Y, et al. Comparison of ^{99m}Tc Technegas SPECT with ^{133}Xe dynamic SPECT in pulmonary emphysema. Ann Nucl Med 10: (suppl), S70, 1996*.
98. Burch WM, Buffinton GA, Browitt RD, et al. The Technegas fulleroid particle as a nano-colloid suspension for bone marrow imaging. Ann Nucl Med 10 : (suppl), S72, 1996*.
99. Isawa T, Lee B-T, Hiraga K. High-resolution electron microscopy of Technegas and Pertechnegas. Nucl Med Commun 17: 147-152; 1996.
100. Lloyd JJ, Lawson RS, Shields RA. High-resolution electron microscopy of Technegas and Pertechnegas (letter + reply) Nucl Med Commun 17: 822-823; 1996.
101. King GG, Eberl S, Salome CM, et al. Airway closure measured by a Technegas bolus and SPECT. Am J Resp Crit Care Med 155: (2); 682-688, 1997.
102. King GG, Eberl S, Salome CM et al. Differences in airway closure between normals and asthmatics measured by SPECT and Technegas. Am J Resp Crit Care Med 158: (6); 1900-1906, 1998.
103. Beckett.M, Thakran DS., Agnew JE., et al. An audit of the usefulness of ventilation/perfusion scintigraphy in patients over 75 years. Nucl Med Commun 17: 997, 1996*.
104. Komatani A., Akutstu T., Yamaguchi K., et al. Contamination levels to room air arising from the use of ^{99m}Tc -gas and prevention from the contamination. (Japanese). Jap J Nucl Med. 33(4):443-5, 1996.
105. Kawakami K. Use of radioisotopes to study the function and morphology of the lung. (Review), (Japanese). Jap J Thor Dis. 32 Supp:223-30, 1994.
106. Kawakami K. New trends of pulmonary nuclear medicine. (Review), (Japanese). Jap J Nucl Med. 31(11):1385-90, 1994.
107. Satoh K, Tanabe M, Nakano S, et al. Comparison of ^{99m}Tc -technegas scintigraphy and high resolution CT in pulmonary emphysema. (Japanese). Jap J Nucl Med. 32(5):487-94, 1995.

108. Imaeda T, Kanematsu M, Asada S, et al. Prediction of pulmonary function after resection of primary lung cancer. Utility of inhalation-perfusion SPECT imaging. *Clin Nucl Med.* 20(9):792-9, 1995.
109. Zhang X, Hirano H, Yamamoto K, et al. Technegas ventilation SPECT for evaluating silicosis in comparison with computed tomography. *Ann Nucl Med* 10(2):165-70, 1996.
110. Coleman RE, Whackers FJTh, Peppen JA, et al. *Diagnostic Nuclear Medicine.* 3rd Ed. Vol1 Publ. Williams & Wilkins. P593; 1996.
111. Senden TJ, Moock KH, Fitzgerald J, et al. The physical and chemical nature of Technegas. *J Nucl Med* 38 (8): 1327-1333, 1997.
112. Eberl S, King GG, Meikle SR. Measurement of lung ventilation below closing volume with simultaneous emission/transmission SPECT *J Nucl Med* 38 (6):296, 1997.
113. Satoh K, Tanabe M, Takahashi K, et al. Assessment of Technetium-99m Technegas scintigraphy for ventilatory impairment in pulmonary emphysema: comparison of planar and SPECT images, *Ann Nucl Med* 11 (2):109-113, 1997.
114. Howarth DM, Thomas PA, Allen LW, Lan L, An outcome study of patients referred for ventilation and perfusion lung scintigraphy for the diagnosis of pulmonary embolus. *Eur J Nucl Med* 24 (8): 1997.
115. Kropp J, Andreeff L, Oehme S, et al. Diagnosis of pulmonary embolism using V/Q scintigraphy and gated SPECT. *Eur J Nucl Med* 24 (8): 1997.
116. Basoglu T, Erkan L, Canbaz F, et al. Transient reverse ventilation-perfusion mismatch in acute pulmonary nitrofurantoin reaction. *Ann Nucl Med* 11(3): 271-274, 1997.
117. Fisher KJ, Endohedral metallofullerenes - a need for a higher yield synthesis. *Chimica Oggi/Chemistry Today* 15: 14-17, 1997.
118. King GG, Eberl S, Salome CM, et al. Airway closure measured by a Technegas bolus and SPECT. *Am J Respir Crit Care Med* 155: 682-688, 1997.
119. Satoh K, Takahashi K, Sasaki M, et al. Comparison of Tc-99m Technegas with Xe-133 dynamic SPECT in pulmonary emphysema. *Ann Nucl Med* 11 (3): 201-206, 1997.
120. Burch WM, McLaren CJ, Croft EM et al. Pressure assisted Technegas ventilation imaging of comatose patients. *Jpn J Nucl Med* 34 (8): 738, 1997*.
121. Satoh K, Takahashi K, Kobayashi T et al. 99mTc-Technegas scintigraphy in panlobular emphysema. *Jpn J Nucl Med* 34 (8): 738, 1997*.
122. Christiansen F, Diagnostic maging of acute pulmonary embolism. *Acta radiologica* 38, suppl 410, pp7 - 33, 1997.
123. Hauck R.W, Ršmer W, Schulz C, Lembeck RM, Schšnig A & Schwaiger M, Ventilation perfusion scintigraphy and lung function testing to assess metal stent efficacy. *J Nucl Med*, 38(10), October: 1584-1589. 1997.
124. Corbus HF, Seitz JP, Larson RK, Stobbe BE, Wooten W, Sayne JW, Chavez RD & Unguez CE, Diagnostic usefulness of lung SPECT in pulmonary thromboembolism: an outcome study. *Nucl. Med Commun.*, 18,: 897-906. 1997.(not about Technegas but makes the point of using SPECT for V/Q)
125. Rose MR, Prescott MC, Lloyd JJ, Mountford PJ Radioactivity in breast milk following the administration of 99mTc MAA from different manufacturers, with and without prior administration of Technegas. *Eur J Nucl Med* 24(1):89-90; 1997.
126. Komatani A, Hasegawa N, Yamaguchi K, Manaka Y, Takahashi K [Improvement of a filter and the effect on the TECHNEGAS leakage]. *Kaku Igaku* 34(6):385-388; 1997. (Jap)
127. Salvatori M. Advances in pulmonary nuclear medicine. *Rays*, 22 (1): 51-72, 1997.
128. Bonnin F, Hadjikostova H, Jebrak G, et al. Complementarity of lung scintigraphy and d-dimer test in pulmonary embolism. *Eur J Nucl Med* 24 (4):444-447, 1997.
129. Andreef M, Oehme L., Kropp J, et al. The usage of gated SPECT in lung scintigraphy-phantom studies and clinical results. *Eur J Nucl Med* 25 (1), 1998.

130. Lemb M. Lungenembolie: L§st sich das PIOPED-Resultat durch Vent/Perf SPECT unter Verwendung von Technegas verbu§tern? Nuklearmedizin: A29/V102, 1998.
131. Maisey M., Clarke SEM. An Atlas of Clinical Nuclear Medicine. 2nd Ed. Chapt. 7; pp521-576. ISBN 0-8151-3341-3 Publ. Mosby 1997.
132. Bernier DR, Christian PE, Langan JK. "Nuclear Medicine Technology and Techniques" 4th Ed. pp316-317 ISBN 0-8151-1991-7 Publ. Mosby 1997.
133. Freeman Leonard M, Scintigraphic diagnosis of pulmonary embolism. Nuc. Med Annual 1997
134. Eberl S, Uren R, Bautovich G, Saunders C, Dugal T, Forster J. SPECT ventilation/perfusion lung scanning in the diagnosis of pulmonary embolism. J Nucl Med 39: (5 suppl.); 191p, 1998*
135. Cook P, Bedford B, Bell A, Lang P, Leiper C, Prouse A. Evaluation of a positive ventilation delivery system (PVDS) in administering Technegas to the noncompliant patient. Eur J Nucl Med 25: (8) 1189, 1998*.
136. Harbert JC, Eckleman WC, Newmann RD. Nuclear Medicine diagnosis and therapy. Publ. Theime: p562-563; 1996.
137. Wilson MA. Textbook of Nuclear Medicine. Publ.Lippincott/Raven p100; 1997
138. Maisey MM, Britton KE, Coya PD. Clinical nuclear Medicine 3rd Ed. Publ. Chapman&Hall Medical: p221-222; 1998
139. Hincken RE, Bowles MA, Dilakai GL et al. Nuclear Medicine Vol. 2 Publ. Mosby: p1371-1379; 1996
140. Sasaki Y, Imai T, Shinkai T, et al. Estimation of regional lung function in interstitial pulmonary disease using 99mTc-Technegas and 99mTc- macroaggregated albumin single-photon emission tomography. Eur J Nucl Med 25: 1623-1629; 1998.
141. Basoglu T, Canbaz F, Bernay I, Danaci M Bilateral pulmonary artery aneurysms in a patient with Behcet syndrome: evaluation with radionuclide angiography and V/Q lung scanning. Clin Nucl Med 23(11):735-738;1998.
142. Mettler FA, Guiberteau MJ. Essentials of Nuclear Medicine Imaging. Publ. Saunders. p195; 1998.
143. Britton KE. Highlights lecture of the European Association of Nuclear Medicine and the World Federation of Nuclear Medicine and Biology congress, Berlin 1998. "Where next and how"? Eur J Nucl Med 25: (12) (Technegas reference p.1682); 1998.
144. Nair CH, Browitt RJ, Shats EA, et al. ThromboTrace a new diagnostic agent with high specificity to bind fibrin in vivo. Eur J Nucl Med 25: (8); 879, 1998*
145. Lemb M, Oei TH, Wenz B, Haubold-Reuter B. Pulmonary Thromboembolism: how to get rid of the intermediate scan by V/P-SPECT using Technegas. Eur J Nucl Med 25: (8); 879, 1998*
146. Jackson P A Mackey D and Van der Wall, H. Physical and Chemical Nature of Technegas. J Nucl Med 39:(9); 1646-1647, (letter) 1998
147. Senden TJ, Mook KH, Fitzgerald JDF, et al. Physical and Chemical Nature of Technegas (letter in reply) J Nucl Med 39:(9); 1647-1649, 1998
148. Barghouth G, Yersin B, Doenz F, Bischof-Delaloye A. Clinical pre-test probability and lung scan in the diagnostic approach of pulmonary embolism: 2 year patient outcome. Eur J Nucl Med 25: (8); 880, 1998*
149. DeBondt P, Carp L, Tiellieu I, et al. Ventilation scintigraphy in the diagnosis of bronchopleural fistula after pneumonectomy. Eur J Nucl Med 25: (8); 1093, 1998*
150. Imai T, Sasaki Y, Shinkai T, et al. Clinical evaluation of 99m-Tc-Technegas SPECT in thoracoscopic lung volume reduction surgery in patients with pulmonary emphysema. Eur J Nucl Med 25: (8); 1095, 1998*
151. Nagao M, Murase K, Yasuhara Y, et al. Quantitative analysis of pulmonary emphysema: three dimensional fractal analysis of Technegas SPECT images. Eur J Nucl Med 25: (8); 1097, 1998*

152. Larson G, Nikadon I, Svensson E, et al. 99m-Tc contamination of Technologists during Technegas ventilation. *Eur J Nucl Med* 25: (8); 1190, 1998*
153. Kwiatek MA, Jones KL, Burch WM, et al: Use of Technegas as a radiopharmaceutical for the measurement of gastric emptying. *Eur J Nucl Med* 26: 903-906; 1999
154. Lin P, Chu J, Kiat H, et al. SPET versus planar ventilation/perfusion (V/Q) lung scans in the diagnosis of pulmonary emboli. *Nucl Med Commun* 20: (4), 391; 1999*
155. Howarth DM, Lan L, Thomas PA, Allen LW. 99mTc Technegas ventilation and perfusion lung scintigraphy for the diagnosis of pulmonary embolus. *J Nucl Med* 40: 579-584; 1999.
156. Fujita J, Takahashi K, Satoh K, Okada H, Momoi A, Yamadori I, Ohkawa M, Takahara J, Tanabe M. Tc-99m Technegas scintigraphy to evaluate the lung ventilation in patients with oral corticosteroid-dependent bronchial asthma. *Ann Nucl Med* 13(4):247-251; 1999.
157. Collignon M-A, Explorations radioisotopiques et maladie thromboembolique pulmonaire. *Rev Mal Respir* 16: 894-906; 1999
158. Bahk YIW, Kim EE, Isawa T. *Nuclear Imaging of the Chest*; Publ. Springer. pp17,32,34,85. 1998.
159. Wenger M, Moncayo R., Zaknun J et al. 3D Imaging and volume mathematics versus common static imaging in combined inhalation/perfusion lung scintigraphy. *Eur J Nucl Med* 25(1), 1998.
160. Scalzetti EM, Gagne GM, Scott JH, Majetich SA. Electron microscopic observations on Technegas and Pertechnegas. *Aerosol Sci & Technol* 28: 523, 1998.
161. Vanbilloen HP, Bauwens J, Mortelmans L, et al. Reduction of contamination risks during clinical studies with Technegas. *Eur J Nucl Med* 26: 1349-1352; 1999.
162. Mouratidis B, Lising J, Nogrady S, Hurwitz, M. Increased Pertechnegas lung clearance in interstitial lung disease. *Clin Nucl Med* 4(2):105-108; 1999
163. Tucker B, Jenkins S, Cheong D, Robinson P. Effect of unilateral breathing exercises on regional lung ventilation. *Nucl Med Commun.* 20(9):815-821. 1999.
164. Lopez MA, Minano JA, Terron JA, Bullesos JA, Guerrero R, Arroyo T Calculation of airborne radioactivity in a Technegas lung ventilation unit. *Nucl Med Commun* 20(12):1141-1145; 1999.
165. Fong W, Macfarlane D, Walker D. Non-embolic causes for large mis-matched perfusion defects. *Nucl Med Commun* 20(4):365; 1999.*
166. Kollaros N, Vezirgianni S, Saranti E, et al., Lung scintigraphy with 99mTc-Technegas. *Greek J Nucl Med* 2: 41-45; 1999.
167. Mitani M, Satoh K, Takahashi K, Kobayashi T, Yamamoto Y, Nishiyama Y, Ohkawa M, Katoh T, Hosokawa N [Quantitative study of 99mTc-Technegas SPECT for ventilatory impairment in pulmonary emphysema]. *Nippon Igaku Hoshasen Gakkai Zasshi.* 59(6):261-4. (Jap.) 1999.
168. Burch W. Reduction of contamination risks during clinical studies with Technegas (response to ref# 152.) *Eur J Nucl Med.* 27(2); 237-238. 2000
169. Bargouth G, Yersin B, Boubaker A, et al. Combination of clinical and V/Q scan assessment for the diagnosis of pulmonary embolism: a 2 year outcome prospective study. *Eur J Nucl Med* 27: 1280-1285; 2000.
170. Wong DC, Haindl W The use of Technegas in the detection of a bronchopleural fistula. *Clin Nucl Med.* 25(7):548-9; 2000.
171. Nagao M, Murase K, Ichiki T, et al. Quantitative analysis of Technegas SPECT: evaluation of regional severity of emphysema. *J Nucl Med* 41(4):590-5; 2000.
172. Satoh K [99mTc-Technegas]. *Nippon Igaku Hoshasen Gakkai Zasshi* 60(5):243-248; 2000(Jap).
173. Wenger M, Donnemiller E, Bacher-Stier C, et al. Improved pulmonary diagnosis by pixel based 3D-Volume mathematics in combined Inhalation/Perfusion Lung SPET. *Eur J Nucl Med* 27(8):899;2000*.

174. Leiper C, Bui C, Saunders C, Dixon H, et al. A Feasibility Study of a new Positive Pressure Delivery System using Technegas for ventilation studies that are technically inadequate or non-diagnostic. *Eur J Nucl Med* 27(8):1203; 2000.*
175. Garin E, Devillers A, Girault S, et al. Interpretative difficulties of Ventilation/Perfusion Lung Scan in association with Interstitial Infiltration in the diagnosis of Acute Pulmonary Embolism: About a False Positive Result. *Eur J Nucl Med* 27(8): 1203; 2000.*
176. Hartmann IJC, Hagen PJ, Stokkel MPM, et al. Can Technegas replace Krypton Gas as a Ventilation Agent. *Eur J Nucl Med* 27(8):1204; 2000.*
177. Votion DM, Coghe J, Lekeux PM. Value of Technegas for ventilation Imaging in a Calf. *Eur J Nucl Med* 27(8):1206; 2000.*
178. Coghe J, Votion DM, Lekeux PA. Comparison between radioactive aerosol, Technegas and Krypton for ventilation imaging in healthy calves. *Vet J* 160: 25-32; 2000.
179. Johansson A, Vikgren J, Moonen M, et al. Structure and Ventilation Distribution in Pulmonary Emphysema. *Eur J Nucl Med* 27(8):1207;2000.*
180. Hagen PJ, van Strijen, MJ, Kieft GJ, et al. Pulmonary Embolism, Availability of diagnostic facilities in the Netherlands for patients with suspected pulmonary embolism. ANTELOPE Study Group. *Advances in New Technologies Evaluating the Localisation of Pulmonary Embolism. Neth J Med* 57(4):142-9; 2000.
181. Hartmann IJC, Hagen PJ, Stokkel MPM, et al. Technegas Versus 81Kr Ventilation-perfusion scintigraphy: a comparative study in patients with suspected acute pulmonary embolism. *J Nucl Med* 42: 393-400; 2001.
182. Xu JH, Moonen M, Johansson A, Blake, B. Dynamics of "Technegas" deposited in the Lung. *Nucl Med Commun* 22(4): 383-387; 2001.
183. Rizzo-Padoin N, Farina A, Le Pen C, et al. A Comparison of radiopharmaceutical agents used for the diagnosis of Pulmonary Embolism. *Nucl Med Commun* 22(4):375-381; 2001.
184. Pellegrino R, Biggi A, Papaleo A, et al. Regional expiratory flow limitation studied with Technegas in asthma. *J Appl Physiol* 91: (5); 2190-2198, 2001.
185. "Minerva", Faulty Technegas generator diagnoses Thyrotoxicosis. *BMJ* 323: 1376, 2001.
186. Votion DM, Coghe JD, Lekeux PM. Comparison of deposition images obtained by use of an ultrafine 99m-Techne-^{99m}Tc-labelled carbon dry aerosol with ventilation images obtained by use of 81m-Krypton gas for pulmonary dysfunction in calves. *Am J Vet Res* : 2001.
187. Wescott J, Dykes F, Brown F, et al. Lung SPECT does not reduce the rate of reporting intermediate probability of Pulmonary Embolism. *J ANZSNM* Mar:2001.*
188. McDonald WBG, Van der Schaff AA, Patrikeos A, Thomson R. Ventilation-Perfusion Scintigraphy vs. Helical CT angiography in suspected Pulmonary Embolism. *J ANZSNM* Mar:2001.*
189. Carolan M, McLean R, Bui C, et al. Post Revised PIOPED: A Trial of new clinical and scintigraphic algorithms. *J ANZSNM* Mar:2001.*
190. Wai-Chan Ling, McLean R, Carolan M. What happens after a Lung Scan? Management and outcome of patients in Regional Hospital. *J ANZSNM* Mar:2001.*
191. Reinhartz P, Schirp U, Zimmy M, et al. Optimizing ventilation-perfusion lung scintigraphy: parting with planar imaging. *Nuklearmedizin* 40:38-43; 2001.
192. Hartmann IJ, Prins MH, Buller HR, Banga JD. Acute pulmonary embolism: impact of selection bias in prospective diagnostic studies. Antelope study group. *Advance in new technology evaluating the localization of Pulmonary Embolism. Thromb Haemostat* 85(4):604-608; 2001.
193. Narita H, Ooshita T, Itoh T, et al. Development of the chromatography analysis of liquid trapping 99mTc-Technegas using Jikei impinger. *Kaku Igaku*. 38(3):211-218; 2001.
194. Dei S, Machida K, Honda N, et al. Fractal analysis for ventilation/perfusion ratio map in differentiating lung diseases. *J Nucl Med* 42:(5); 191P, 2001*.

195. Dumarey N, Lahoutte T, Dierickx LO, et al. Improvement of inter-observer agreement with the help of sagittal and transverse slices in lung V/Q SPET in the diagnosis of pulmonary embolism. *J Nucl Med* 42:(5); 345P, 2001*.
196. Xu J, Moonen M, Johansson Å, et al. quantitative analysis of inhomogeneity in ventilation SPET. *Eur J Nucl Med* 28: (12); 1795-1800, 2001.
197. Castellani M, Vanoli M, Cali G, et al. Ventilation-perfusion lung scan for the detection of pulmonary involvement in Takayasu's arteritis. *Eur J Nucl Med* 28(12);1801-1805, 2001.
198. Lemb M, Pohlabein H, Pulmonary thromboembolism: a retrospective study on the examination of 991 patients by ventilation/perfusion SPECT using Technegas. *Nuklearmedizin*40: 179-186; 2001.
199. Orellana PB, Arriagada DM, Meneses LQ, et al. Parámetros clínicos y radiológicos de pacientes con tromboembolismo pulmonar diagnosticado a través de cintigrafías de ventilación/perfusión de alta probabilidad. <http://www.alasbimnjournal.cl/revistas/14/orellana.html>
200. Nemmar A, Hoet PHM, Vanquickenborne B, et al. Passage of inhaled particles into the blood circulation in humans. *Circulation* 105: 411-414; 2002.
201. Cantalupi D, Masaneo I, Poti C. Our experience to keep V/Q scan a mandatory tool if: (a) safe to operate and (b) reported for PE with pre/post test probability and for other respiratory problems to internists. *Eur J Nucl Med* 29: s9; 2002*.
202. Ito H, Pitcairn GR, Hirst PH, et al. an in vivo study to assess the suitability of Technegas as a SPECT imaging agent for pulmonary drug formulations. *Respir Drug Devel VIII* 2: 439-442, 2002.
203. Pitcairn GR, James J, Joyson A, et al. Technecoat: a novel method for radiolabelling dry powder formulations in radionuclide imaging studies. *Respir Drug Devel VIII* 2: 553-556, 2002.
204. Sanchez-Crespo A, Petersson J, Nyren S, et al. A novel quantitative dual isotope method for simultaneous ventilation and perfusion lung SPET. *Eur J Nucl Med* 29: 863-875, 2002.
205. Suga K, Yashuko K, Zaki M, et al. assessment of regional lung functional impairment with co-registered respiratory-gated ventilation/perfusion SPET-CT images: initial experiences. *Eur J Nucl Med Mol Imaging* 31: 240-249, 2004.
206. Kropp J, Prescher Y, Beuthein-Baumann B, et al. Experience of V/P tomography. *Eur J Nucl Med Mol Imaging* 31 (suppl. # 2): S213, 2004*
207. Weinmann P, Tofighi M, Rebillard O, et al. Ventilation/perfusion SPECT in patients with non diagnostic planar lung scintigraphy and suspicion of pulmonary embolism. *Eur J Nucl Med Mol Imaging* 31 (suppl. # 2): S254, 2004*.
208. Härkönen R, Parvianen S, Mäki M, et al. Detection of pulmonary emboli by V/Q planar scintigraphy, V/Q SPET and helical CT. *Eur J Nucl Med Mol Imaging* 31 (suppl. # 2): S254, 2004*.
209. Ferran N, Martin-Comin J, Serra J, et al. Diagnosis of pulmonary thromboembolism(PT): comparative study spiral CT vs ventilation-perfusion pulmonary scintigraphy. *Eur J Nucl Med Mol Imaging* 31 (suppl. # 2): S254, 2004*.
210. Suga K, Kawakami Y, Zaki M, et al. Clinical utility of co-registered respiratory-gated 99m Tc-Technegas/MAA SPECT-CT images in the assessment of regional lung functional impairment in patients with lung cancer. *Eur J Nucl Med Mol Imaging* 31: 1280-1290, 2004.
211. Reinartz P, Wildberger J, Schaefer W, et al. Tomographic imaging in the diagnosis of pulmonary embolism: a comparison between V/Q lung scintigraphy in SPECT technique and multislice spiral CT. *J Nucl Med* 45: 1501-1508, 2004.
212. Johansson MJ, Wiklund A, et al. Positive end-expiratory pressure affects regional redistribution of ventilation differently in prone and supine sheep. *Crit Care Med* 32:2039-44,2004.
213. Petersson J et al. Physiological evaluation of a new quantitative SPECT method measuring regional ventilation and perfusion *J Appl Physiol* 96:1127-36, 2004.
214. McLean RG et al. Comparison of new clinical and scintigraphic algorithms for the diagnosis of PE. *Br J Radiol*77: 372-376;2004.

215. Olsson C-G, Bajc M, et al. Value of ventilation/perfusion SPECT detecting extensive pulmonary embolism in a patient with pneumonia. *Thromb Haemost* 93: 993-994, 2005.
216. Johansson Å, Moonen M, et al. Detection of chronic rejection by quantitative ventilation scintigrams in lung-transplanted patients: a pilot study. *Clin Physiol Funct imaging* 25: 183-187, 2005.
217. Jonsson B, Bajc M. diagnostics of pulmonary embolism with emphasis on ventilation/perfusion scintigraphy and dead-space analysis. *J Organ Dysfunction (preview article)* pp1-7; 2006.
218. Mills NL, Amin N, Robinson SD et al. Do inhaled carbon nanoparticles translocate directly into the circulation in humans? *Am J Respir Crit Care Med* 173: 426-431; 2006.
219. Reinartz P, Kaiser H-J, Wildberger JE. SPECT imaging in the diagnosis of pulmonary embolism: automated detection of match and mismatch defects by means of image processing techniques. *J Nucl Med (in press)* 2006.
220. Möller W, Felton K, Seitz J, et al. A generator for the production of ultrafine carbonaceous particles for deposition and clearance studies in the respiratory tract. *J Aerosol Sci* 37:631-644; 2006.
221. Magnant J, Vecellio L, de Monte M et al. Comparative analysis of different scintigraphic approaches to assess pulmonary ventilation. *J Aerosol Med* 19:148-159; 2006.
222. Howarth DM, Booker JA, Voutnis DD. Diagnosis of pulmonary embolus using ventilation/perfusion lung scintigraphy: more than 0.5 segment of ventilation/perfusion mismatch is sufficient. *Internal Med J* 36:281-288; 2006.
223. Ue H, Haneishi H, Iwanaga H, Suga K. Nonlinear motion correction of respiratory-gated lung SPECT images. *IEEE Trans Med Imaging* 25:486-95; 2006.
224. Harris B, Bailey D, Roach P, et al. Objective analysis of the V/Q relationship in pulmonary embolism diagnosis using SPECT scintigraphy. *Eu J Nucl Med Mol Imaging* 33: suppl 2; pS170, 2006*
225. Salaun PY, Le Gal G, Couturier O, et al. Does the association of low-probability ventilation-perfusion scintigraphy and of a low clinical risk safely rule out pulmonary embolism (PE) in suspected patients? *Eu J Nucl Med Mol Imaging* 33: suppl 2; pS170, 2006*
226. Birchall JD, Blackwell K, Ganatra RH, et al. Does an abnormal CXR preclude a VQ scan? *Eu J Nucl Med Mol Imaging* 33: suppl 2; pS170, 2006*
227. Mulholland NJR, Mistry R, Buxton-Thomas M. Is V/Q scanning redundant in the diagnosis of PE?: experience using an algorithm involving CTPA, V/Q and D-Dimer in a teaching hospital. *Eu J Nucl Med Mol Imaging* 33: suppl 2; pS171, 2006*
228. Bajc M, Olsson C, Olsson B, et al. holistic interpretation of ventilation/perfusion SPECT from 4696 studies. *Eu J Nucl Med Mol Imaging* 33: suppl 2; pS171, 2006*
229. Yap KSK, Turkalow A, Kalf V, et al. A prospective reassessment of the Wells' score in identifying pulmonary embolism (PE) in the context of current diagnostic imaging recommendations. *Eu J Nucl Med Mol Imaging* 33: suppl 2; pS171, 2006*
230. Rodriguez-Alfonso B, Rodriguez-Rey C, Sanchez-Sanchez R, et al. Pulmonary embolism: correlation between ventilation-perfusion scintigraphy and CT findings. *Eu J Nucl Med Mol Imaging* 33: suppl 2; pS366, 2006*
231. Härkönen RA, Parviainen S, Mäki MT, et al. Detection of peripheral pulmonary embolism by ventilation/perfusion SPECT in cases where helical CT was non diagnostic. Poster presented at WFNMB Seoul, Korea, October 2006*
232. Yokoe K, Satoh K, Yamamoto Y, et al. Usefulness of 99mTc-Technegas and 133Xe dynamic SPECT in ventilatory impairment. *Nucl Med Commun* 27: (11); 887-92 2006
233. Weibert P, Sanchez-Crespo A, Falk R, et al. No significant translocation of inhaled 35-nm carbon particles to the circulation in humans. *Inhal Toxicol* 18(10): 741-7 2006
234. Harris B, Bailey D, Miles S, et al. Objective analysis of tomographic ventilation-perfusion scintigraphy in pulmonary embolism. *Am J Respir Crit Care Med* 175: 1173-1180; 2007
235. Reinartz P, Nowak B, Wildberger J et al. PIOPED II in the diagnosis of pulmonary embolism: evolution or stagnation? *J Nucl Med* 47: (Supplement 1); 20P 2006.

236. Leveillee F, LeBlanc M, turcotte E. Prospective evaluation of the negative predictive value of V/Q SPECT using Tc-99m-Technegas. *J Nucl Med* 47: (Supplement 1); 19P 2006.
237. Yap KS, Kalf V, Turlakow A, Kelly MJ. A prospective reassessment of the utility of the Wells score in identifying pulmonary embolism. *Med J Aust.* 17;187(6):333-6, 2007.
- 238: Krieg S, Alison JA, McCarren B, Cowell S. Position affects distribution of ventilation in the lungs of older people: an experimental study. *Aust J Physiother.*53(3):179-84, 2007.
- 239: Suga K, Kawakami Y, Iwanaga H, et al. A stripe sign on 99mTc-Technegas SPECT in pulmonary emphysema. *Nucl Med Commun.* 29(6):553-61, 2008.
- 240: Dwarkanath R, Jayan R, Vinjamuri S. Abnormal tracheal deposition of Technegas on ventilation-perfusion scanning due to endobronchial malignancy. *Clin Nucl Med.* 33(2):144-5, 2008.
- 241: Sánchez-Crespo A, Rohdin M, Carlsson C, et al. A technique for lung ventilation-perfusion SPECT in neonates and infants. *Nucl Med Commun.* 29(2):173-7, 2008.
- 242: Bailey DL, Schembri GP, Harris BE, et al. Generation of planar images from lung ventilation/perfusion SPECT. *Ann Nucl Med.* 22(5):437-45, 2008.
- 243 Reinartz P. To PIOPED, or Not to PIOPED [Invited Perspective] *J Nucl Med* 49: 1739-1740, 2008
- 244 Roach PJ, Bailey DL, Harris BE Enhancing Lung Scintigraphy With Single-Photon Emission Computed Tomography *Semin Nucl Med* 38: (6); 441-449, 2008.
- 245 Freeman LM, Haramati LB. V/Q scintigraphy: alive, well and equal to the challenge of CT angiography. *Eur J Nucl Med Mol imaging* 36:499-504; 2009.